



TIPO DE CONDUCTOS




RECTOS



ref.	ancho	long.	P.V.P.								
			PARED / ALTO								
1000			10	15	20	25	30	35	40	45	50
1001	10	116	16,54	19,17	21,80	24,43	27,06	29,69	32,32	34,95	37,58
1002	15	116	19,17	21,80	24,43	27,06	29,69	32,32	34,95	37,58	40,21
1003	20	116	21,80	24,43	27,06	29,69	32,32	34,95	37,58	40,21	42,84
1004	25	116	24,43	27,06	29,69	32,32	34,95	37,58	40,21	42,84	45,47
1005	30	116	27,06	29,69	32,32	34,95	37,58	40,21	42,84	45,47	48,10
1006	35	116	29,69	32,32	34,95	37,58	40,21	42,84	45,47	48,10	50,73
1007	40	116	32,32	34,95	37,58	40,21	42,84	45,47	48,10	50,73	53,36
1008	45	116	34,95	37,58	40,21	42,84	45,47	48,10	50,73	53,36	55,99
1009	50	116	37,58	40,21	42,84	45,47	48,10	50,73	53,36	55,99	58,62
1010	55	116	40,21	42,84	45,47	48,10	50,73	53,36	55,99	58,62	61,25
1011	60	116	42,84	45,47	48,10	50,73	53,36	55,99	58,62	61,25	63,88
1012	65	116	45,47	48,10	50,73	53,36	55,99	58,62	61,25	63,88	66,51
1013	70	116	48,10	50,73	53,36	55,99	58,62	61,25	63,88	66,51	69,14
1014	75	116	50,73	53,36	55,99	58,62	61,25	63,88	66,51	69,14	71,77
1015	80	116	53,36	55,99	58,62	61,25	63,88	66,51	69,14	71,77	74,40
1016	85	116	55,99	58,62	61,25	63,88	66,51	69,14	71,77	74,40	77,03
1017	90	116	58,62	61,25	63,88	66,51	69,14	71,77	74,40	77,03	79,66
1018	95	116	61,25	63,88	66,51	69,14	71,77	74,40	77,03	79,66	82,29
1019	100	116	63,88	66,51	69,14	71,77	74,40	77,03	79,66	82,29	84,92

TIPO DE CONDUCTOS




RECTOS



ref.	P.V.P.											
	ancho	long.	PARED / ALTO									
55			60	65	70	75	80	85	90	95	100	
1000												
1020	10	116	40,22	42,85	45,48	48,11	50,74	53,37	56,00	58,63	61,26	63,89
1021	15	116	42,85	45,48	48,11	50,74	53,37	56,00	58,63	61,26	63,89	66,52
1022	20	116	45,48	48,11	50,74	53,37	56,00	58,63	61,26	63,89	66,52	69,15
1023	25	116	48,11	50,74	53,37	56,00	58,63	61,26	63,89	66,52	69,15	71,78
1024	30	116	50,74	53,37	56,00	58,63	61,26	63,89	66,52	69,15	71,78	74,41
1025	35	116	53,37	56,00	58,63	61,26	63,89	66,52	69,15	71,78	74,41	77,04
1026	40	116	56,00	58,63	61,26	63,89	66,52	69,15	71,78	74,41	77,04	79,67
1027	45	116	58,63	61,26	63,89	66,52	69,15	71,78	74,41	77,04	79,67	82,30
1028	50	116	61,26	63,89	66,52	69,15	71,78	74,41	77,04	79,67	82,30	84,93
1029	55	116	63,89	66,52	69,15	71,78	74,41	77,04	79,67	82,30	84,93	87,56
1030	60	116	66,52	69,15	71,78	74,41	77,04	79,67	82,30	84,93	87,56	90,19
1031	65	116	69,15	71,78	74,41	77,04	79,67	82,30	84,93	87,56	90,19	92,82
1032	70	116	71,78	74,41	77,04	79,67	82,30	84,93	87,56	90,19	92,82	95,45
1033	75	116	74,41	77,04	79,67	82,30	84,93	87,56	90,19	92,82	95,45	98,08
1034	80	116	77,04	79,67	82,30	84,93	87,56	90,19	92,82	95,45	98,08	100,71
1035	85	116	79,67	82,30	84,93	87,56	90,19	92,82	95,45	98,08	100,71	103,34
1036	90	116	82,30	84,93	87,56	90,19	92,82	95,45	98,08	100,71	103,34	105,97
1037	95	116	84,93	87,56	90,19	92,82	95,45	98,08	100,71	103,34	105,97	108,60
1038	100	116	87,56	90,19	92,82	95,45	98,08	100,71	103,34	105,97	108,60	111,23

TIPO DE CONDUCTOS



RECTOS



ref.	ancho	long.	P.V.P.								
			PARED / ALTO								
1000			10	15	20	25	30	35	40	45	50
1039	10	56,5	9,92	11,50	13,08	14,66	16,24	17,82	19,40	20,98	22,56
1040	15	56,5	11,50	13,08	14,66	16,24	17,82	19,40	20,98	22,56	24,14
1041	20	56,5	13,08	14,66	16,24	17,82	19,40	20,98	22,56	24,14	25,72
1042	25	56,5	14,66	16,24	17,82	19,40	20,98	22,56	24,14	25,72	27,30
1043	30	56,5	16,24	17,82	19,40	20,98	22,56	24,14	25,72	27,30	28,88
1044	35	56,5	17,82	19,40	20,98	22,56	24,14	25,72	27,30	28,88	30,46
1045	40	56,5	19,40	20,98	22,56	24,14	25,72	27,30	28,88	30,46	32,04
1046	45	56,5	20,98	22,56	24,14	25,72	27,30	28,88	30,46	32,04	33,62
1047	50	56,5	22,56	24,14	25,72	27,30	28,88	30,46	32,04	33,62	35,20
1048	55	56,5	24,14	25,72	27,30	28,88	30,46	32,04	33,62	35,20	36,78
1049	60	56,5	25,72	27,30	28,88	30,46	32,04	33,62	35,20	36,78	38,36
1050	65	56,5	27,30	28,88	30,46	32,04	33,62	35,20	36,78	38,36	39,94
1051	70	56,5	28,88	30,46	32,04	33,62	35,20	36,78	38,36	39,94	41,52
1052	75	56,5	30,46	32,04	33,62	35,20	36,78	38,36	39,94	41,52	43,10
1053	80	56,5	32,04	33,62	35,20	36,78	38,36	39,94	41,52	43,10	44,68
1054	85	56,5	33,62	35,20	36,78	38,36	39,94	41,52	43,10	44,68	46,26
1055	90	56,5	35,20	36,78	38,36	39,94	41,52	43,10	44,68	46,26	47,84
1056	95	56,5	36,78	38,36	39,94	41,52	43,10	44,68	46,26	47,84	49,42
1057	100	56,5	38,36	39,94	41,52	43,10	44,68	46,26	47,84	49,42	51,00

TIPO DE CONDUCTOS

RECTOS



ref.	ancho	long.	P.V.P.									
			PARED / ALTO									
1000			55	60	65	70	75	80	85	90	95	100
1058	10	56,5	24,13	25,71	27,29	28,87	30,45	32,03	33,61	35,19	36,77	38,35
1059	15	56,5	25,71	27,29	28,87	30,45	32,03	33,61	35,19	36,77	38,35	39,93
1060	20	56,5	27,29	28,87	30,45	32,03	33,61	35,19	36,77	38,35	39,93	41,51
1061	25	56,5	28,87	30,45	32,03	33,61	35,19	36,77	38,35	39,93	41,51	43,09
1062	30	56,5	30,45	32,03	33,61	35,19	36,77	38,35	39,93	41,51	43,09	44,67
1063	35	56,5	32,03	33,61	35,19	36,77	38,35	39,93	41,51	43,09	44,67	46,25
1064	40	56,5	33,61	35,19	36,77	38,35	39,93	41,51	43,09	44,67	46,25	47,83
1065	45	56,5	35,19	36,77	38,35	39,93	41,51	43,09	44,67	46,25	47,83	49,41
1066	50	56,5	36,77	38,35	39,93	41,51	43,09	44,67	46,25	47,83	49,41	50,99
1067	55	56,5	38,35	39,93	41,51	43,09	44,67	46,25	47,83	49,41	50,99	52,57
1068	60	56,5	39,93	41,51	43,09	44,67	46,25	47,83	49,41	50,99	52,57	54,15
1069	65	56,5	41,51	43,09	44,67	46,25	47,83	49,41	50,99	52,57	54,15	55,73
1070	70	56,5	43,09	44,67	46,25	47,83	49,41	50,99	52,57	54,15	55,73	57,31
1071	75	56,5	44,67	46,25	47,83	49,41	50,99	52,57	54,15	55,73	57,31	58,89
1072	80	56,5	46,25	47,83	49,41	50,99	52,57	54,15	55,73	57,31	58,89	60,47
1073	85	56,5	47,83	49,41	50,99	52,57	54,15	55,73	57,31	58,89	60,47	62,05
1074	90	56,5	49,41	50,99	52,57	54,15	55,73	57,31	58,89	60,47	62,05	63,63
1075	95	56,5	50,99	52,57	54,15	55,73	57,31	58,89	60,47	62,05	63,63	65,21
1076	100	56,5	52,57	54,15	55,73	57,31	58,89	60,47	62,05	63,63	65,21	66,79